2621 Ridgepoint Drive, Suite 235 Austin, TX 78754

800.866.6506

SK-101

iKey

Industrial Keyboard with Numeric Keypad

iKey's SlimKey[™] SK-101 keyboard provides full-size versatility in a rugged, c ompact design. Engineered for NEMA 4X protection from dust, water and corrosive liquids, the SlimKey[™] SK-101 is ideal for use in environments ranging f rom manufacturing to material handling. The large numeric pad on the SK-101 allows for easy data entry, while its robust polycarbonate case stands up to the roughest of conditions.



| Technical Specifications | |
|--------------------------|---|
| Certifications | NEMA 4X UL60950, FCC Part 15 Class B |
| Shock | 3x11 ms pulses of 50g on each of 3 axes |
| Cable | LENGTH: 10' straight (3 m) |
| Key Switch | MATERIAL: Industrial silicone rubber LIFE: 10 million cycles TRAVEL: 0.055 in. (1.4mm) ACTUATION FORCE: 7.05 oz +/- 1.06 oz (200g +/- 30g) FEEDBACK: Tactile with mechanical snap |
| Vibration | POWER SPECTRAL DENSITY: 0.04g/Hz FREQUENCY RANGE: 20Hz - 2 kHz DURATION OF TEST PER AXIS: 3 hours |
| Power | PS/2: 50mA@5V (from Keyboard port) USB: 50mA@5V (from CPU port) |
| Flammability | PRINTED CIRCUIT BOARD: 94 VO SILICONE OVERLAY: 94HB |
| Compatability | PS/2 KEYBOARD/HULAPOINT: All Windows Operating Systems USB KEYBOARD/HULAPOINT: All Windows and Macintosh OS |
| Temperature Range | STORAGE: -40C to +90C (-40F to +194F) OPERATING: -40C to +70C (-40F to +158F) |
| Weight | 1.5 lbs +/- 0.10 lbs (0.68 kg +/- 0.05 kg) |
| Warranty | 1 year limited warranty |
| Humidity | 100% |
| Dimensions | 14.60" x 5.55" x 0.92" (w-h-d) 370.8mm x 141mm x 23.4mm |
| Features and Benefits | |
| 12 Function Keys | Large, 10-Key Numeric Pad |
| | |

- MS Windows Function Keys
- USB and PS/2 configurations available

- Slim, Compact Design
- ©2011 iKey, Ltd. All rights reserved. 2621 Ridgepoint Drive Suite 235 Austin, TX 78754 1-800- 866-6506